

SUPERIOR PRODUCTS AND SERVICES

FlenTek Solutions, Inc is a supplier of custom solutions for manufacturers who need to improve the performance of their products, decrease their cost, or more importantly increase their competitive edge. We provide technical solutions developed and delivered for your market specific products and applications.

> Quality Managers who value the importance of analytical tools, as compared to a subjective observation, to measure the **Critical Color Differences** in material. We can decrease the waste and expense incurred to build a product that has a lot of color variations for material in an industrial, food, or automotive application.

> **Production Engineering** who need **Safety Switches** on doors, gates and robotic systems to insure employee safety and the reduction in workplace injuries.

Mechanical Engineer who need Precision Pressure, Vacuum, and Differential Switches in hydraulic applications.

Design Engineers who need a complete AC/DC **Motor Controllers System** (Motors, controllers, contactors, gauges, DC converters, etc.) developed or just key components for material handling, military, marine, agriculture, robotic, or autonomous vehicle applications







TABLE OF CONTENTS

Color and Appearance Measurement Equipment Konica Minolta special applications

World Magnetics Pressure Switches

High, Medium, Low and Vacuum World Magnetics Special Applications

Safety Switches

Wire Safety Non-Contact Interlock Switches and Safety Interlock

Motor Controller Components

Hour Meters, Battery Discharge Indicators, Series/Sepex Motor Controller PM Motor Controllers AC Induction Motor Controllers Foot Pedals, Throttles and Sensors Contactors, Joysticks and DC Converters

Motors

Permanent Magnet AC electro-hydraulic pump AC Induction Horizontal Drive Wheel Vertical Drive Wheel Steering Gearbox AC/DC Electric Transaxles Brushless DC Motors

Motor Worksheets

Engineering Services



LIST OF SUPPLIERS

Konica Minolta– Color Measurement Tools Curtis Instruments– Motor Controller Systems/Contactors IDEM– Safety Switches World Magnetics– Pressure Switches Curtiss-Wright– Motor Controller Systems Metalrota—AC Motors Rincon—Sealed High Current Contactors



COLOR AND APPEARANCE MEASUREMENT EQUIPMENT

CR-410



CM-36dG



CM-5



Spectrophotometers

CM-26dG

BC-10plus



CM-700d/600d

CM-700d / 600d



Gloss / Spectro Combo





ISO 9001:2015 CERTIFIED COMPANY MBE & DBE CERTIFIED COMPANY



Multi Angle Spectrophotometer





KONICA MINOLTA SPECIAL APPLICATIONS

ACCURATE COLOR MEASUREMENT: SAFEGAURDS QUALITY AND BRAND PRESENCE

The name Kärcher is synonymous with the inventive spirit that is typically Swabian. The family-run company from Winnenden, near Stuttgart, is a global market leader in the field of cleaning systems.



COLOR

KARCHER

COLOR MATRIX

Is a global innovator of liquid colorant, additive and dosing technologies for the plastics industry. The company takes a holistic, total package approach to help its customers maximize their production efficiencies and improve both the performance and aesthetics of their products



FOOD INDUSTRY COLOR CONTROL: THE COLOR OF QUALITY

When it comes to foods, color and appearance are the most important first impressions, even before one's olfactory sense is tickled with a pleasing aroma.

ISO 9001:2015 CERTIFIED COMPANY MBE & DBE CERTIFIED COMPANY



KONICA MINOLTA SPECIAL APPLICATIONS



AUTO INDUSTRY SOLUTIONS

Having the right equipment for automotive interiors will enable you to: Reduce costs with less waste Effectively communicate a standard metric to your supply chain Overcome the challenges in matching materials

Having the right equipment for automotive exteriors will enable you to: Overcome the challenges of measuring high performance finishes, curvature areas, and small accessories Put a value of what the eyes see in the realm of a total appearance measure-

ment



UNDERSTANDING AND CONTROLLING COLOR:

MAINTAINING YOUR PRODUCTS IMAGE

With the increasing diversity of products, product recognition is becoming more important. Along with product design, color is one of the major factors in creating a product image. It has a great effect on market appeal and sales. The average consumer will not accept the color ranges that were the industry standard ten years ago. They are always searching for a better product – one that gives them the desired properties with a minimum of variation. Because of these requirements, companies are becoming increasingly concerned about color, and color control is becoming



KONICA MINOLTA SPECIAL APPLICATIONS



INAX CORPORATION: THE COLOR OF QUALITY TILE

INAX Corporation was founded in 1924 and is now Japan's leading manufacturer of tiling, building materials, sanitary fixtures, and residential fixtures. Particularly for tiles, INAX is the world's largest maker, and distributes these products which play a variety of roles in our daily lives to customers throughout the world. INAX has been using Konica Minolta sensing's spectrophotometers for many years, and the replacement of previous products with the latest Spectrophotometer CM-700d provided the opportunity for this application note.

KONIKA MINOLIA | BENDING AMERICAS COLOR

Whiteness Indices and UV Standards Several Information

To obtain the source of a proof of beginning on the source of the source



UNDERSTANDING WHITENESS MEASUREMENT

The evaluation of the whiteness of a product is dependent upon the materials and the application in which it is used. Natural materials, for instance cotton or wool, tend to yield a yellowish tint, so the industry will make modifications to the materials to compensate for this effect. A yellowish tint in a product is most often seen as a quality flaw, e.g., yellowing due to aging or dirt, and businesses will attempt to make the appearance of their products more white.



THE COLOR OF PEANUT BUTTER

"The USDA provides four color chips for peanut butter and we try to match our peanut butter color to chip number three, with a plus or minus tolerance of .5," said Samantha Rector, Quality Control Supervisor, Sunland, Inc. "The private label peanut butter we make for other companies may require a different color match. We needed a way to take the subjectivity out of color matching, which was done visually according to USDA standards. I may see a batch of peanut butter color as too dark, while someone else may see it as too light."



WORLD MAGNETICS PRESSURE SWITCHES





WORLD MAGNETICS SPECIAL APPLICATIONS

HVAC

Examples: Air proving, ventilation flow, exhaust ducts, cleaning and purification, air filter health / status, fans, dirt and dust filter loading. Gas furnaces, pellet stove heaters, combustion exhaust venting, exhaust / flue air-flow blockage, flue gas, gas pressure, induced draft, heating / venting blower fan, boilers, fuel oil delivery. Re-frigeration, cooling fans, air conditioners, refrigerators, freezers. Water heating systems, heat pumps, sump pump / drain control, hot tubs, pools, spas, liquid level.

MEDICAL, SURGICAL & DENTAL

Examples: Emergency, intensive care, surgical, rehabilitation. Respiratory therapy, assisted breathing, portable oxygen concentrator, gas level, drug delivery, inhaler / vapor dispenser, nebulizer, alcohol breath analyzer, anesthesia delivery, HEPA filter health, kidney dialysis, reverse osmosis purification. Patient monitors: pulse, breathing rate, blood pressure, intraarticular pressure. Surgical / dental vacuum, suction, air delivery. Sip and puff control & actuators (e.g., hospital bed controls, wheelchair steering).

COMMERCIAL APPLIANCE

Examples: Gas-fired appliance exhaust venting, liquid product level, fill level / water pressure, chemical dispensing, operating cycle control, hot water tank pressure, filter status, control pumps, lights, blowers, burners. Restaurant equipment, deep fryers, convection / pizza ovens, grills, beverage syrup dispensers, coffee machines, espresso machines, cappuccino machines, dishwashers, ice makers, washers, dryers, food vacuum sealers, vacuum cleaners, pellet wood stoves.

CONSTRUCTION & FARMING

Examples: Heavy equipment, earth movers, backhoes, bulldozers, cranes. Tractors, irrigation and harvesting machinery, aquaculture systems, animal care. Heavy duty air / fluid filtering; oil and hydraulic systems; differential, transmission, and drivetrain; air, water, and oil pumps. Comfort air movement systems, vacuum dairy milking..

AUTOMOTIVE & TRANSPORTATION

Examples: Hybrid cars, passenger cars, vans, sports / race cars, semi trucks, recreational vehicles, boats, motorized vehicles. Emission control, exhaust recirculation control, turbo, manifold vacuum, fuel injection, air and fluid pressure, filter monitoring, pre-cranking lubrication, on-start engine monitoring, Boat / marine bilge pump, drinking water pump, trim tab hydraulics.



WORLD MAGNETICS SPECIAL APPLICATIONS

AEROSPACE & MILITARY DEFENSE

Examples: Commercial / military aircraft, ships, ground transport vehicles, marine watercraft, communications and weaponry. NASA astronaut space helmets, cabin pressure, oxygen masks, air speed monitor, holding tanks, vacuum toilet, missile / aircraft guidance, helicopter systems, unmanned aircraft controls, rocket propulsion controls. Ship controls, nuclear submarine navigation, arc-fault detection, chemical dispenser, depth charges, bombs, tanks. Patriot, Trident, Predator, HMMWV / Humvee.

ECO-FRIENDLY / ENVIRONMENTAL (GREEN)

Examples: DesignFlex[™] switch products conserve valuable energy by using electrical power only when activated by pressure, vacuum or differential pressure. Our eco-conscious switch designs are employed in a wide variety of alternative energy and environmentally friendly applications. Alternative energy, hybrid automobiles, electric vehicles / automobiles, hydrogen fuel cells, fuel cells, batteries, on-demand systems, alternative fuel heaters, wood and corn pellet stoves, wind turbine and solar energy battery storage systems. Ozone generators, air quality monitors, air filtering detection, air and water filtration / purification, no flush toilets and waste systems, energy conserving products.

MANUFACTURING & ROBOTICS / OTHER

Examples: Robotics, path / position detection, pneumatic actuator / traffic counter, vacuum detection, edge detection, production pick and place, presence / absence, liquid level low / high, refill, process breaks, low pressure motor on, high pressure motor off, sealed systems pressure, compressors, pumps, industrial ultraviolet drying, semiconductor process solution, automated tool driver, spray paint pressure, test equipment pressure calibration.

SAFETY

Examples: Edge detection / auto reverse, pressure and vacuum monitoring, blockage detection, low / high alarms, safety interlock, valve position, auto shutoff. Safety doors (elevator, subway, bus, garage), mining gas sampling, drainage, exhaust flues, pump inlets, power ventilation, chamber pressure, explosive purge pressure, fuel dispensers, traffic counters, event recorders, vehicle loading position, heating / cooling pressure, asbestos removal vacuum, fire helmet air supply, astronaut helmet pressure / air supply. Hazardous leaks, Radon gas detection.

TECHNOLOGY, COMPUTER & OFFICE

Examples: Office equipment, fan cooling, pressure monitoring, positioning, pick / place. Computer server motherboards / processors, tape drive / storage devices, tape speed, inkjet / laser printers, ink well pressure, carriage position, printer head cooling fan, paper handling, high-speed scanning and sorting, photo copiers, check scans, lift labels, letter / envelope vacuum insert, silk-screening film position, sealed cable pressure, lighting gas pressure.



IDEM SAFETY SWITCHES

Wire Safety Rope Switches

GLS-SS Series



GLS Series



GLHD Series





IDEM SAFETY SWITCHES





ALBRIGHT CONTACTORS



Low Voltage Stud



Designed to be used in a variety of applications including electric vehicles, materials handling equipment, winches, Hydraulic Power Packs, Engine Starting, Standby Power, Lighting applications, Telecommunications and D.C. System Electrics.

Models: DC, RU, RW, SU, SW





Environmentally protected to IP66 or IP67 these are suitable for marine and arduous environment applications and include low voltage stud and motor reversing type contactors.

Models: DC, PC, SU, SW

Albright Contactors



Emergency Disconnect Switches



Designed to provide a rapid means of disconnecting batteries or other power supplies in the event of serious electrical faults. Primarily used with battery powered vehicles they are also suitable for use with static power systems.

Models: ED

Motor Reversing



Designed for applications such as winches and direc*tion controllers.*

Models: DC, SW



Hour meters & Battery Discharge Indicators



Series / Sepex Motor Controller



PM Motor Controllers

1226 Series



ISO 9001:2015 CERTIFIED COMPANY MBE & DBE CERTIFIED COMPANY **1212P Series**



1212S Series





AC Induction Motor Controllers 24v-80v 150-550amps





AC Induction Motor Controller (F Series)



AC F2-C



AC F2-T/AC F2-D













Foot Pedals & Throttles

WM-528



Wig-Wag



WM-540





WM-542





WM-575



Hall Effect Sensors SRH220DR



ISO 9001:2015 CERTIFIED COMPANY MBE & DBE CERTIFIED COMPANY



NRH275DR





Joysticks

JC6000

JC1500





JC8000



DC/DC Converters * 24-80v Input * 16amps@12v * 14.5amps at 13.7v



DC/DC Converters * 24-36v Input * 2amps@24v

1416



Motors

AC Motors



PM Motors





Series Motors



AC Motors with extras

Hub Motors





SPECIFICATION OF BASIC REQUIREMENTS Soft/2017 REV. 3 CUSTOMER: Y PROJECT: Y PROJECT: Y NOMINAL TENSION 24v S6v 48v WORK POWER (W) TORQUE (Nm) COULD DIMENSION (mm) LEIGHT
CUSTOMER: Y N Repair Part PROJECT: Y N Repair Part DEADLINE: Strarting Date Ending Date NOMINAL TENSION 24v 36v 48v 80v 0 WORK POWER (W) TORQUE (Nm) CONSUMPTION (A) 0 0 0 DUTY TORQUE (Nm) CONSUMPTION (A) 0 0 0 0
Image: marked bit in the second se
PROJECT: Y N PROJECT: DEADLINE: Strarting Date Ending Date NOMINAL TENSION 24v 36v 48v 80v 1 1 1 WORK POWER (W) 1
Nominal tension Deadline 24v 36v 48v 80v Image: Consumption (A) WORK POWER (W) Image: Consumption (A) Image: Cons
DEADLINE: Image: Construction of the second of the sec
WORK POWER (W) RPM DUTY TORQUE (Nm)
WORK POWER (W) RPM DUTY TORQUE (Nm)
DUTY TORQUE (Nm) CONSUMPTION (A)
REQUIRED DIMENSION (mm) LEIGHT Ø FF=1
REQUIRED PROTECTION CLASS (IP) IP 20 IP 44 IP 56 IP 67 WEIGHT
PQ CONSTRUCTION'S MODEL
CONSTRUCTION'S MODEL
Guide SENSE OF ROTATION L/R R L
m ventilation Q ventilation
N° of encoder pulses 32 ppr 48 ppr 64 ppr
CONNECTION TYPE Terminals Cables Terminals + Cables
MOTOR TYPE AC Induction Perm. Magnet
INSULATION CLASS REQUIRED
BRAKE BRAKE BRAKE BRAKE BRAKE BRAKE BRAKE
Note: Si
WIDTH (inches) Image: State of the st
VOLTAGE 24V 36V 48V 80V
Image: Market and the second
(Multiple of 100ah)
E Other
Yes BATTERY STORAGE AREA DIMENSIONS LENGTH (inches) WIDTH (inches)
문 HEIGHT (inches)
SECTIO Notes:



Phone: 678-567-9563

Fax: 678-567-9564

After 4:30 pm eastern time: 678-567-1031

Technical Support: Ext. 105 or engineering@flentek.net

Sales Support: Ext. 101 or sales@flentek.net

Order Status: Ext. 109 or orders@flentek.net

Purchasing: Ext. 102 or purchasing@flentek.net

4549 Silver Springs Blvd, Suite 100, Powder Springs, GA 30127

THE BEST SUPPLIER OF CUSTOM SOLUTIONS THAT MAKE A DIFFERENCE

